

**Itap Foot valve spring loaded  
brass 3/8" female thread 25bar  
DN10 stainless steel 304 type  
Europa 105 (0412100)**



# TECHNICAL SPECIFICATIONS

|                         |                     |
|-------------------------|---------------------|
| Type                    | Europa 105          |
| Material                | brass               |
| Material valve          | stainless steel     |
| Material filter element | stainless steel 304 |
| Material (spring)       | stainless steel 304 |
| Material housing        | brass               |
| Material seal           | NBR                 |
| Connection              | female thread       |
| Gasket                  | NBR                 |
| Temperature range       | -20°C - 100°C       |
| Opening pressure        | 0,08 bar            |
| Size                    | 3/8"                |
| Length                  | 90,5 mm             |
| DN                      | 10                  |
| Outer ø                 | 34,5 mm             |
| Pressure                | 25 bar              |

# DIMENSIONS

H

95 mm

## PRODUCT INFORMATION

The Itap foot valve spring loaded Europa 105 is suitable for domestic water services, compressed air systems, heating and air-conditioning plants.

**Last modified date: 06/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>