# Twin peristaltic dosing pump pH/Rx 230VAC black type Technopool (7015704)





# **TECHNICAL SPECIFICATIONS**

| Colour           | black             |
|------------------|-------------------|
| Туре             | Technopool        |
| Voltage          | 230VAC            |
| Max. Performance | 14 Watt           |
| Length           | 304 mm            |
| Height           | 250 mm            |
| Max. pool vol.   | 60 m <sup>3</sup> |

# **PRODUCT INFORMATION**

For private pools with double built-in pH and Rx tool, suitable for the dosage of acid/alkaline correctors depending on the pH reading, and for dosage of chlorine or other disinfectants depending on the Rx potential reading.

### Features:

- Display with digital controls
- Compact size
- Measurement range 5-9 pH, 0-999 mV
- Acoustic alarms
- Wall fixing bracket included

### The equipment consists of:

- Suction/Injection pipe
- pH and Rx electrodes, buffer solutions



- In-line electrode holders
- Injection valves
- Foot filters (2x)

## Compatible with:

- Level probes
- Flow and temperature probe
- Serial communication port RS485 for pc

# Last modified date: 18/12/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

