


**Itap Ball valve brass nickel  
plated 1/4" female thread x  
male thread 5bar DN8 DVGW  
type 067 (0401160)**



# TECHNICAL SPECIFICATIONS

|   |                             |
|---|-----------------------------|
| Type                                    | 067                         |
| Material                                | brass                       |
| Surface treatment                       | nickel plated               |
| Approval                                | DVGW                        |
| Operation                               | lever                       |
| Colour lever                            | yellow                      |
| Handle material                         | steel                       |
| Housing construction                    | 2-part                      |
| Ball material                           | hard chrome plated brass    |
| Material housing                        | brass                       |
| Material seal                           | PTFE                        |
| Connection                              | female thread x male thread |
| Max. temperature                        | 60 °C                       |
| Minimum medium temperature (continuous) | -10 °C                      |
| Flow                                    | full                        |
| Pressure                                | 5 bar                       |

Size 1/4"

DN 8

## DIMENSIONS

Ct-1 37.3 mm

F-1 11 mm

F-2 11 mm


Lb 56,9 mm

R 80 mm

ØDf 8 mm

ØDi-1 1/4 "

ØDo-2 1/4 "



Last modified date: 21/02/2026

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>