

**Profec Water meter dry cast
iron DN80 DIN flange 10bar
0,01A 40m³/h 24V blue
LXLC/FX type Woltman
horizontal with pulse (7019375)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Woltman
Material	cast iron
Model	LXLC/FX
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Pulse	100 ltr
Type	horizontal with pulse
Voltage	24V
Pressure	10 bar
Max. temp.	40 °C
Capacity	63 m ³ /h
Capacity Qmax	80 m ³ /h
Capacity Qn	40 m ³ /h
Size	DN80
Q1 ISO 4064 (2005)	0.79 m ³ /h

Q3 ISO 4064 (2005)	63 m ³ /h
Q4 ISO 4064 (2005)	78.8 m ³ /h
Min. reading	0.002 m ³ /h
Max. reading	999.999 m ³ /h
Length	225 mm
Diam.	3 "
PCD	160 mm

DIMENSIONS

H	279 mm
Install. length	225
PCD	160 mm

PRODUCT INFORMATION

Output signal: Parallel reed contact (3 wire)

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>