

**Full circle sprinkler brass 3/4"  
male thread 4,0 x 2,4 mm type  
RC 130 HH (0630105)**



# TECHNICAL SPECIFICATIONS

Type RC 130 HH

Material brass

Connection male thread

Nozzle size 4,0 x 2,4 mm

Capacity 3bar 1,49 m<sup>3</sup>/h

Capacity 4bar 1,71 m<sup>3</sup>/h

Capacity 5bar 1,85 m<sup>3</sup>/h

Size 3/4"

Radius 3bar 15 m

Radius 4bar 15,2 m

Radius 5bar 15,8 m

Type RC 130 HH																	
4,0mm			4,6mm			4,8mm			4,0mm x 2,4mm			4,4mm x 2,4mm			4,8mm x 3,2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2,5	0,95	26,0	2,5	1,15	27,0	2,5	1,40	30,0	2,5	1,35	26,0	2,5	1,55	27,0	2,5	2,05	30,0
3,5	1,15	27,0	3,5	1,38	28,4	3,5	1,67	30,8	3,5	1,60	27,0	3,5	1,80	28,4	3,5	2,40	30,8
4,5	1,30	27,5	4,5	1,55	29,4	4,5	1,87	31,8	4,5	1,76	27,5	4,5	2,03	29,4	4,5	2,75	31,8

## PRODUCT INFORMATION

Plastic rotating cap protects spring and makes sprinkler suitable for overhead frost protection.

**Last modified date: 21/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>