

# Rain Bird Controller plastic 24VAC white type ILX-IVM PEU 240 stations (7028618)



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

Colour	white
Type	ILX-IVM
Material	plastic
Voltage	24VAC
Height	364 mm
Type	PEU
Number of Stations	240

## PRODUCT INFORMATION

Rain Bird's new ESP-LX-IVM 2-Wire System comes with the new Integrated Valve Module (IVM).  
Flow sensor inputs: up to 5 in the LX-IVM and up to 10 in the LX-IVM Pro.

This "smart solenoid" stays in constant communication with the controller, providing efficient irrigation and advanced diagnostics.

Up to four 2-Wire paths can be connected, plus flow sensing and flow management tools. Only half the number of wire splices are needed, improving installation costs and reliability. A 2-Wire path must be surge protected and grounded every 150m or every 15 devices, whichever is smaller. The IVM-SD Line Surge Protector is used for this purpose.

Wire connectors included; Languages available: EN, ES, FR, DE, IT, PT.

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road

Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>