Counter current system 2" 8.0 - 4.6A 400VAC type Jet Swim Motion Classic (7029031)





TECHNICAL SPECIFICATIONS

Туре	Jet Swim Motion Classic
Output Power	3 HP
Size	2"
Voltage	400VAC
Power	2.2 kW
Ampere	8.0 - 4.6 A
Max flow rate	46 m³/h
IP value	IP55

PRODUCT INFORMATION

Jet Swim Motion is made of acid-proof stainless steel AISI 316L and has a completely new flow technique with two oval nozzles, of which the lower is directed downward for a more even distribution of the streams. This provides a much more natural swimming technique compared to most counter-current units found on the market. With a motor power of 2.2 kW and pump capacity of 46 m³/h, you can easily exercise your strength and conditioning. The air mixture in the jet streams is adjusted seamlessly in order to suit your personal needs.

Features:

- Stainless steel front AISI 316L
- New flow technology with two oval nozzles
- Seamlessly adjustable setting of the air mixture



- Pneumatic start button
- With combination of mounting set, suitable for mono-block pools with wall thickness between 6 and 20mm

Last modified date: 08/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

