

**NaanDan Micro sprinkler
plastic bayonet M 1.10 mm
360° brown type AquaSmart
2002, short radius (7020926)**



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Type	AquaSmart 2002, short radius
------	------------------------------

Material	plastic
----------	---------

Connection	bayonet M
------------	-----------

Sector adj. range	360°
-------------------	------

Opening pressure	1.5 bar
------------------	---------

Rec. press.	1.5 - 4.0 bar
-------------	---------------

Colour	brown
--------	-------

Capacity 2 bar	35 l/h
----------------	--------

Capacity 1,5bar	35 l/h
-----------------	--------

Capacity 2,5bar	35 l/h
-----------------	--------

Capacity 3bar	35 l/h
---------------	--------

Nozzle size	1.10 mm
-------------	---------

Radius 2bar	1,25/2,0 m
-------------	------------

PRODUCT INFORMATION

Mounted upright, to be used with spike 37 (7020887) and bayonet stand (0610097).

Pressure compensated for constant flows between 1,5 - 4,0 bar.

Medium range blue swivel with regular 2nd stage version for grown up trees, for small trees it is

recommended the 1st stage version (shorter radius) that can later be manually broken and turned into 2nd stage (longer radius).

Crop solution: apples, pears, hazelnuts, plums.

Last modified date: 10/02/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>