


**Profec Stub flange PVC-U 315
mm glue socket 10bar DN300
grey PN10 WRAS (0110912)**



TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	315 mm
Packaging	3 pcs
DN	300
Flange	PN10
Outer ø	342 mm
Weight	4.05 kg
Thickness	28 mm
Pressure	10 bar
PCD	342 mm

DIMENSIONS

Db	378 mm
----	--------

L	174 mm
---	--------

L	178 mm
---	--------

Lb	141 mm
----	--------

T	25 mm
---	-------

ØDi-1	250 mm
-------	--------

ØDi-2	315 mm
-------	--------

ØDo-1	274 mm
-------	--------

ØDo-2	342 mm
-------	--------

PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.

For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

Last modified date: 20/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>