


Blue Lagoon UV-C disinfection unit 50-63 mm x 1 1/2" glue socket x female thread 2bar type Timer UV-C 4ALL 40 W (7038498)



Blue lagoon
UV-C and Pool equipment

TECHNICAL SPECIFICATIONS

Capacity Qmax	23 m ³ /h
Connection	glue socket x female thread
Pressure	2 bar
Type	Timer UV-C 4ALL 40 W
Flow rate	11 30mJ/cm ²
Size	50-63 mm x 1 1/2"
Power	40 W



PRODUCT INFORMATION

The Blue Lagoon Timer UV-C 4ALL with DUPLEX stainless-steel housing is suitable for both salt-water (electrolysis) and chlorinated pools. It contains an integrated timer that accurately monitors the number of operating hours. You can therefore see exactly when the lamp must be replaced.

Features:

- DUPLEX housing, suitable for both, salt-water (electrolysis) and chlorinated pools
- Timer function indicating the remaining lifetime of the lamp
- A built-in electronic ballast to ensure a smooth power supply
- Up to 35% more UV-C yield as a result of reflection by the DUPLEX interior
- Multiple installation options for easy installation
- Comes with Ø63mm to Ø50mm fittings, and 1½" female threaded inserts

Last modified date: 24/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>