

# Stopcock brass 1" female thread 10bar DN25 DVGW (0410328)



# TECHNICAL SPECIFICATIONS

|          |       |
|----------|-------|
| Material | brass |
|----------|-------|

|          |      |
|----------|------|
| Approval | DVGW |
|----------|------|

|           |           |
|-----------|-----------|
| Operation | handwheel |
|-----------|-----------|

|              |       |
|--------------|-------|
| Colour lever | green |
|--------------|-------|

|                 |           |
|-----------------|-----------|
| Handle material | polyamide |
|-----------------|-----------|

|                |       |
|----------------|-------|
| Material valve | brass |
|----------------|-------|

|                  |       |
|------------------|-------|
| Material housing | brass |
|------------------|-------|

|               |      |
|---------------|------|
| Material seal | EPDM |
|---------------|------|

|            |               |
|------------|---------------|
| Connection | female thread |
|------------|---------------|

|                  |       |
|------------------|-------|
| Max. temperature | 90 °C |
|------------------|-------|

|          |        |
|----------|--------|
| Pressure | 10 bar |
|----------|--------|

|      |    |
|------|----|
| Size | 1" |
|------|----|

|    |    |
|----|----|
| DN | 25 |
|----|----|

## PRODUCT INFORMATION

With drain valve 1/4".

**Last modified date: 21/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>