

**Grundfos Variable speed
circulation pump cast iron
DN32 flange 10bar 1.47A
230VAC black/red WRAS type
MAGNA3 32-100F (220)
(7039799)**



GRUNDFOS 

TECHNICAL SPECIFICATIONS

Colour	black/red
--------	-----------

Material	cast iron
----------	-----------

Approval	WRAS
----------	------

Pump body	cast iron
-----------	-----------

Material impeller 1	fibreglass-reinforced PES
---------------------	---------------------------

Connection	flange
------------	--------

Voltage	230VAC
---------	--------

Max. temperature	110 °C
------------------	--------

Minimum medium temperature (continuous)	-10 °C
---	--------

Impellers	1
-----------	---

Frequency	50 Hz
-----------	-------

Maximum ambient temperature 40 °C

Pressure	10 bar
----------	--------

Minimum ambient temperature 0 °C

Type	MAGNA3 32-100F (220)
------	----------------------

MWC	10 m
-----	------

Size	DN32
Ampere	1.47 A

Last modified date: 08/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>



bosta
bringing water to life