

# Waterco Commercial sand filter fibreglass 3"/90mm flange 4bar type SMDD1200 (7029510)



**WATERCO**  
EUROPE LTD  
Water, the liquid of life

# TECHNICAL SPECIFICATIONS

Material fibreglass

Connection flange

Pressure 4 bar

Max. temp. 40 °C

Type SMDD1200

Capacity 34 m<sup>3</sup>/h

Size 3"/90mm

Sand 2045 kg

Filter area 1.13 m<sup>2</sup>


Max flow rate 45 m<sup>3</sup>/h

Max. pool vol. 170 m<sup>3</sup>

## DIMENSIONS

B 1229 mm

C 2243 mm



# PRODUCT INFORMATION

Waterco commercial sand filter SMDD is an upgraded version of SMD series. Besides micron fibreglass winding technology and "Fish Tail" lateral configuration, Easy Reach Air Release System and service hatch have been implemented as well. SMDD model is available in 4 bar, 6 bar, 8 bar and 10 bar pressure ratings.

Features:

- 1,2 m bed depth
- Ultra smooth bobbin finish
- Large double yoke lid with lifting eye
- Large clear sight glass
- Large stable base
- Service hatch
- Easy reach airbleed
- Flanged connections
- Fish Tail lateral
- Optional nozzle plate
- 10 years tank warranty

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>