


**Profec Stub flange PVC-U 32  
mm glue socket 16bar DN25  
grey PN16 WRAS (0110900)**



# TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	32 mm
Packaging	400 pcs
DN	25
Flange	PN16
Outer ø	41 mm
Weight	0.026 kg
Thickness	7 mm
Pressure	16 bar
PCD	41 mm

## DIMENSIONS

Db	50 mm
----	-------

L	25 mm
---	-------

L	25 mm
---	-------

Lb	25 mm
----	-------

T	7 mm
---	------

ØDi-1	32 mm
-------	-------

ØDi-2	32 mm
-------	-------

ØDo-1	41 mm
-------	-------

ØDo-2	41 mm
-------	-------

## PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.

For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

**Last modified date: 20/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk

IP33 3TA

T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>