

Hunter Irrigation controller plastic 24VAC blue/white type HC Indoor 1201i-E 12 stations (7026279)



Hunter®

TECHNICAL SPECIFICATIONS

Colour	blue/white
--------	------------

Type	HC Indoor
------	-----------

Material	plastic
----------	---------

Connectivity	Wi-Fi
--------------	-------

Voltage	24VAC
---------	-------

Type	1201i-E
------	---------

Number of Stations	12
--------------------	----

PRODUCT INFORMATION

Go for maximum water conservation with Hydrowise Certainty through numbers. With this thought in mind, Hunter developed Hydrowise-based software - software that has the capacity to irrigate with forecasting. This software makes it easy to adjust your irrigation schedules to the predicted temperature, chances of rain, winds and humidity. And the result? Maximum water conservation and a beautiful, healthy landscape. [KADER/TIP] Add a flow meter, which is easy to instal, and set it to automatic reports which will warn you about faulty pipes or sprinklers.

Specifications - Number of stations: 6 or 12. - The standard program option has the capacity for 6 independent irrigation programs and 6 start times per program. - The advanced program option offers station-based programs with a total maximum of 6 start times. - The station's maximum operating time of 24 hours offers flexibility regarding zones with a low flow rate. Extras - Two sensor inlets available for use with all Clik sensors and HC Flow Meter. - Station outlets can also be used to activate a pump start relay or main valve. - Switch on Wi-Fi for a fast connection to the Hydrowise® software. - Touchscreen display with colours for straightforward programming on the control panel. - Integrated milliampere sensor for faulty wire detection and warnings (only in the 12-station model). Also irrigate with forecasting and saves you money.

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>