

Itap Ball valve brass nickel plated 1 1/2" female thread 5bar DVGW type 066 (0401085)



TECHNICAL SPECIFICATIONS

Type	066
------	-----

Material	brass
----------	-------

Connection	female thread
------------	---------------

Connection	female thread
------------	---------------

Surface treatment	nickel plated
-------------------	---------------

Approval	DVGW
----------	------

Operation	lever
-----------	-------

Colour lever	yellow
--------------	--------

Handle material	steel
-----------------	-------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Max. temperature	60 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Flow	full
------	------

Pressure	5 bar
----------	-------

Size	1 1/2"
------	--------

Size	1 1/2 "
------	---------

Size 2	1 1/2 "
--------	---------

DIMENSIONS

Lb	109 mm
----	--------

ØDi-1	1 1/2 "
-------	---------

ØDi-2	1 1/2 "
-------	---------


F-1	21.4 mm
-----	---------

F-2	21.4 mm
-----	---------

Ct-1	90.3 mm
------	---------

R	157.8 mm
---	----------

ØDf	40 mm
-----	-------



Generated by date: 23/09/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>