

NaanDan Micro sprinkler plastic bayonet M 28tr/h 1.00 mm 360° grey type AquaSmart 2002, long radius (7020925)



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Type	AquaSmart 2002, long radius
Material	plastic
Connection	bayonet M
Opening pressure	1.5 bar
Rec. press.	1.5 - 4.0 bar
Colour	grey
Flow	28 ltr/h
Capacity 2 bar	28 l/h
Capacity 1,5bar	28 l/h
Capacity 3bar	28 l/h
Sector adj. range	360°
Nozzle size	1.00 mm
Radius 2bar	0,75/2,25 m

PRODUCT INFORMATION

Mounted upright, to be used with spike 37 (7020887) and bayonet stand (0610097).
Pressure compensated for constant flows between 1,5 - 4,0 bar.
Large range blue swivel with regular 2nd stage version for grown up trees, for small trees it is

recommended the 1st stage version (shorter radius) that can later be manually broken and turned into 2nd stage (longer radius).

Crop solution: apples, pears, hazelnuts, plums.

Last modified date: 18/12/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>