

# Hydro-S Butterfly valve PVC-U 225 mm flange 10bar DN200 grey PN10 type 7500 (7014386)



  
hydro-s

# TECHNICAL SPECIFICATIONS

|        |      |
|--------|------|
| Colour | grey |
|--------|------|

|      |      |
|------|------|
| Type | 7500 |
|------|------|

|          |       |
|----------|-------|
| Material | PVC-U |
|----------|-------|

|           |       |
|-----------|-------|
| Operation | lever |
|-----------|-------|

|              |      |
|--------------|------|
| Colour lever | blue |
|--------------|------|

|                |       |
|----------------|-------|
| Material valve | PVC-U |
|----------------|-------|

|                  |       |
|------------------|-------|
| Material spindle | steel |
|------------------|-------|

|                  |       |
|------------------|-------|
| Material housing | PP GF |
|------------------|-------|

|               |      |
|---------------|------|
| Material seal | EPDM |
|---------------|------|

|            |        |
|------------|--------|
| Connection | flange |
|------------|--------|

|        |      |
|--------|------|
| Flange | PN10 |
|--------|------|

|                   |            |
|-------------------|------------|
| Temperature range | 0°C - 40°C |
|-------------------|------------|

|      |        |
|------|--------|
| Size | 225 mm |
|------|--------|

|    |     |
|----|-----|
| DN | 200 |
|----|-----|

|       |       |
|-------|-------|
| Width | 75 mm |
|-------|-------|

|          |        |
|----------|--------|
| Pressure | 10 bar |
|----------|--------|

|           |       |
|-----------|-------|
| Bolt hole | 24 mm |
|-----------|-------|

## DIMENSIONS


W-1 75 mm

PCD 295 mm

Ct-1 256 mm

R 335 mm

W-2 115 mm



**Last modified date: 09/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>