

**Profec Nr. 331 Union coupler  
cast iron galvanised 2" female  
thread x male thread 25bar  
DVGW type flat (1033109)**



# TECHNICAL SPECIFICATIONS

|                   |                             |
|-------------------|-----------------------------|
| Type              | flat                        |
| Material          | cast iron                   |
| Surface treatment | galvanised                  |
| Approval          | DVGW                        |
| Material seal     | NBR                         |
| Connection        | female thread x male thread |
| Fitting nr.       | Nr. 331                     |
| Pressure          | 25 bar                      |
| Size              | 2"                          |
| Length            | 109 mm                      |


## DIMENSIONS

|     |       |
|-----|-------|
| F-1 | 25 mm |
| F-2 | 27 mm |
| K-1 | 65 mm |
| K-2 | 65 mm |
| Kn  | 89 mm |

L 107 mm

$\varnothing$ Di-1 2 "

$\varnothing$ Do-2 2 "



**Last modified date: 22/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>