


**Profec Stub flange PVC-U 160  
mm glue socket 16bar DN150  
grey PN16 WRAS (0110909)**



# TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	160 mm
Packaging	18 pcs
DN	150
Flange	PN16
Outer ø	187 mm
Weight	1.087 kg
Thickness	16 mm
Pressure	16 bar
PCD	188 mm

## DIMENSIONS

Db	213 mm
----	--------

L	91 mm
---	-------

L	90 mm
---	-------

Lb	91 mm
----	-------

T	16 mm
---	-------

ØDi-1	160 mm
-------	--------

ØDi-2	160 mm
-------	--------

ØDo-1	187 mm
-------	--------

ØDo-2	187 mm
-------	--------

## PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.

For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

**Last modified date: 20/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk

IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>