

Submersible borehole pump 1" female thread 11A 230/400VAC type SKM 200 with control box - oil cooling (7031118)



TECHNICAL SPECIFICATIONS

Pump body	stainless steel 304
-----------	---------------------

Material impeller 1	brass
---------------------	-------

Connection	female thread
------------	---------------

Type	with control box - oil cooling
------	--------------------------------

Max. temperature	35 °C
------------------	-------

Outer ø	98 mm
---------	-------

Press	1 "
-------	-----

Maximum ambient temperature 35 °C

IP value	IP68
----------	------

Type	SKM 200
------	---------

Output Power	2 HP
--------------	------

MWC	140 m
-----	-------

Size	1"
------	----

Voltage	230/400VAC
---------	------------

Weight	17 kg
--------	-------

Power	1.5 kW
-------	--------

Impellers	3
-----------	---

Height 540 mm

Ampere 11 A

Max flow rate 3 m³/h

BEP Capacity 2.1

BEP Head 35

PORlh 66

PORhh 16

PORlq 1.47



PORhq 2.52

DIMENSIONS

Db 98 mm

H-1 540 mm

ØDi-1 1 "



PRODUCT INFORMATION

Submersible borehole pump kit with built-in capacitor. Includes control box. With 20 metres cable, DIN plug and control box. UK / DIN plug included for UK deliveries

Last modified date: 08/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>