

(7026879)



FLOTIDE

 **bosta**
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	white
Material	steel
Voltage	230VAC
Temperature range	10 °C - 32 °C
Frequency	50 Hz
Type	P2.2/32
Capacity	220 - 450 m ³ /h
Length	1343 mm
Width	248 mm
Height	790 mm
Noise level	44 dB

PRODUCT INFORMATION

Flotide dehumidifier absorbs moist air in the pool house and transforms it into warm, dry air. Includes defrost function to prevent icing when temperature is below 10°C. Also includes electric heater to raise the pool hall temperature 2 degrees above the water temperature which reduces evaporation. Flotide dehumidifier works as an essential partner with heat pumps on indoor pools. Installing a dehumidifier allows users to enjoy swimming in a comfortable pool house environment without problems such as wall condensation, corrosion and water damage.

Features:

- High efficiency
- Defrost and air heating function
- Super silent running at 44dB
- Epoxy fin air exchanger is featured for excellent anti-corrosion performance
- Ultra-thin casing - only 6.5cm width
- Modern glass fronted casing with touch control panel
- Stainless Steel wall mounting included
- Humidistat included - automatic shut-off when humidity level drops below 50%
- Wi-Fi module included

Last modified date: 07/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>