

**Profec Hose clip steel  
galvanised 36 mm x 39 mm  
type W1 Super 20 mm  
(0465007)**



# TECHNICAL SPECIFICATIONS

|      |    |
|------|----|
| Type | W1 |
|------|----|

|          |       |
|----------|-------|
| Material | steel |
|----------|-------|

|                   |            |
|-------------------|------------|
| Surface treatment | galvanised |
|-------------------|------------|

|               |                  |
|---------------|------------------|
| Material band | galvanised steel |
|---------------|------------------|

|              |           |
|--------------|-----------|
| Bolt and nut | steel 8.8 |
|--------------|-----------|

|                |       |
|----------------|-------|
| Material screw | steel |
|----------------|-------|

|      |       |
|------|-------|
| Type | Super |
|------|-------|

|      |               |
|------|---------------|
| Size | 36 mm x 39 mm |
|------|---------------|

|      |    |
|------|----|
| Bolt | M6 |
|------|----|

|       |       |
|-------|-------|
| Width | 20 mm |
|-------|-------|

|             |       |
|-------------|-------|
| Length bolt | 50 mm |
|-------------|-------|

|           |        |
|-----------|--------|
| Thickness | 0.8 mm |
|-----------|--------|

## PRODUCT INFORMATION

Solid Billet Gudgeon pins & Multi Spot welds make this the ultimate Super clamp

**Last modified date: 21/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>