

# Submersible pump PP 1 1/4" female thread 1,6A 230VAC black/blue type Robusta 200TS with float switch (7021352)



# TECHNICAL SPECIFICATIONS

Colour	black/blue
Type	Robusta 200TS
Material	PP
Output Power	0,45 HP
Pump body	PP
Material impeller 1	PA
MWC	6,3 m
Connection	female thread
Float	integrated
Max. temperature	40 °C
Power	0.36 kW
Ampere	1,6 A
Press	1 1/4 "
Size	1 1/4"
Voltage	230VAC
Max flow rate	8.5 m <sup>3</sup> /h

# DIMENSIONS

H-1	304 mm
-----	--------

W-1	195 mm
-----	--------

# PRODUCT INFORMATION

Plastic submersible pump with built in float switch and top connection of 1 1/4" female thread. With a compact construction (maximum width 200 mm) it has been in high demand for the drainage of piping systems.

Pump can lower the water level down to 3mm.

**Last modified date: 07/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>