

**Foras Centrifugal pump cast
iron DN80 x 80 mm x DN65 x 65
mm DIN flange 10bar 22,5A
400/690VAC blue type MN65
160 B (0920314)**



TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 cast iron

Connection DIN flange

Voltage 400/690VAC

Max. temperature 90 °C

Minimum medium temperature -10 °C
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type MN65 160 B

Output Power 15 HP

Size DN80 x 80 mm x DN65 x 65 mm

Seal type H

Length 635 mm

Width 290 mm

Weight 103.5 kg

Power 11 kW

MWC 33

Height 360 mm

Max flow rate 144 m³/h

BEP Capacity 110

BEP Head 27

Efficiency 56 %

Press 65

Suction 80

Packaging dimensions L/W/H 666 x 346 x 471 mm

DIMENSIONS

Cb-1 160 mm

Cl-1 100 mm

Ct-1 200 mm

G-1 212 mm

H 360 mm

H 360 mm

L 635 mm

Mc 70 mm




O 14 mm

W-1 280 mm

W-2 290 mm

ØDi-1 80 mm

ØDi-2 65 mm



- 920290
- 920293
- 920291
- 920301
- 920300
- 920304
- 920307
- 920309
- 920311
- 920314

PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 22/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA

T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>