

**Break tank 3/4" x 1" male
thread 230VAC BELGAQUA
type Hydrobox 500 with MXAM
405 & Logic SP 8.5 (7023567)**



TECHNICAL SPECIFICATIONS

Type	Hydrobox 500 with MXAM 405 & Logic SP 8.5
------	---

Approval	BELGAQUA
----------	----------

Tank	500 ltr
------	---------

Connection	male thread
------------	-------------

Maximum flow	130 ltr/min
--------------	-------------

Voltage	230VAC
---------	--------

Pump	Calpeda MXAM 405
------	------------------

Max working pressure	5,1 bar
----------------------	---------

Capacity Pressure	6 m ³ /h @ 3,1 bar
-------------------	-------------------------------

Control Unit Pump	Logic STP 8.5
-------------------	---------------

Variable Speed	Yes
----------------	-----

Size	3/4" x 1"
------	-----------

PRODUCT INFORMATION

Large break tank with 500l capacity suitable for floor Installation Flow rate: 5 - 7 m3/h Operating Pressure: 3 - 5 bar ON/OFF system integrated with dry running protector Provided with Multi - Impeller Submersible Pump with Pressure Controller Two brass drain taps at the bottom of tank (1 1/4" & 1 1/2") and one on the sides (2") Material Tank: PE

Last modified date: 07/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>