

**Profec Water meter cast iron
DN80 DIN flange 16bar 40m³/h
blue LXLC(R) type Woltman
horizontal (0892522)**



TECHNICAL SPECIFICATIONS

Colour	blue
Type	Woltman
Material	cast iron
Model	LXLC(R)
Material flange	cast iron
Material seal	rubber reinforced with nylon
Connection	DIN flange
Type	horizontal
Max. reading	999.999 m ³ /h
Temperature range	0,1°C - 40°C
Pressure	16 bar
Capacity	63 m ³ /h
Capacity Qmax	80 m ³ /h
Capacity Qn	40 m ³ /h
Size	DN80
Q1 ISO 4064 (2005)	0.79 m ³ /h
Q3 ISO 4064 (2005)	63 m ³ /h

Q4 ISO 4064 (2005)	78.8 m ³ /h
--------------------	------------------------

Min. reading	0.002 m ³ /h
--------------	-------------------------

Length	225 mm
--------	--------

Diam.	3 "
-------	-----

PCD	160 mm
-----	--------

DIMENSIONS

H	279 mm
---	--------

Install. length	225
-----------------	-----

PCD	160 mm
-----	--------

Last modified date: 11/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>