

VGE Pro Medium pressure lamp UV system stainless steel 316L DN80 flange 10bar type 600-85 Comfort (7029627)



VGE PRO
UV DISINFECTION SOLUTIONS

TECHNICAL SPECIFICATIONS

Material	stainless steel 316L
----------	----------------------

Connection	flange
------------	--------

Pressure	10 bar
----------	--------

Type	600-85 Comfort
------	----------------

Capacity Qmax	18.7 m ³ /h
---------------	------------------------

Size	DN80
------	------

Power	600 W
-------	-------

Chloramine reduction	12 m ³ /h
----------------------	----------------------

PRODUCT INFORMATION

The VGE Pro medium pressure UV lamps emits a wide spectrum of Ultraviolet (UV) light which not only gives very good disinfection results but is also excellent for photolysis applications like the reduction of chlorine in pool applications. The single ended lamp in combination with the S.B.T. (Single end bayonet technology) and the on-chamber visual lamp status indication makes the system extremely user friendly. We offer different systems with medium pressure UV lamps from 400W to 3000W. 600-85 Comfort is equipped with a 600W UV lamp. In combination with the DN80 flange connections the system is suitable for (semi) public and professional installations. It is controlled by a Comfort controller which is suitable for a UV sensor, temperature sensor or ModBus.

Features:

- 1x 600W lamp
- DN80 flange connections
- Comfort controller

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>