

# Profec 2-piece ball valve stainless steel 316 DN80 DIN flange 16bar PN10/16 type 2019 (0090857)



# TECHNICAL SPECIFICATIONS

|                      |                     |
|----------------------|---------------------|
| Type                 | 2019                |
| Material             | stainless steel 316 |
| Operation            | lever               |
| Colour lever         | blue                |
| Handle material      | stainless steel 304 |
| Housing construction | 2-part              |
| Material spindle     | stainless steel 304 |
| Material housing     | stainless steel 316 |
| Material seal        | PTFE                |
| Connection           | DIN flange          |
| Temperature range    | -40°C - 180°C       |
| Pressure             | 16 bar              |
| Size                 | DN80                |
| Flange               | PN10/16             |
| PCD                  | 160 mm              |
| Holes                | 8                   |

# DIMENSIONS

|   |        |
|---|--------|
| H | 166 mm |
|---|--------|

|               |     |
|---------------|-----|
| Handle height | 166 |
|---------------|-----|

|   |        |
|---|--------|
| L | 180 mm |
|---|--------|

|     |        |
|-----|--------|
| PCD | 160 mm |
|-----|--------|

|     |       |
|-----|-------|
| ØDf | 76 mm |
|-----|-------|

# PRODUCT INFORMATION

Flanges by DIN 2501 / PN16.

**Last modified date: 20/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>