

# Profec Ball valve brass nickel plated 1/4" female thread 25bar type 100 (0403000)



# TECHNICAL SPECIFICATIONS

|                   |                          |
|-------------------|--------------------------|
| Type              | 100                      |
| Material          | brass                    |
| Surface treatment | nickel plated            |
| Operation         | lever                    |
| Colour lever      | red                      |
| Handle material   | steel                    |
| Ball material     | hard chrome plated brass |
| Material housing  | brass                    |
| Material seal     | PTFE                     |
| Connection        | female thread            |
| Temperature range | 0°C - 100°C              |
| Pressure          | 25 bar                   |
| Size              | 1/4"                     |

## DIMENSIONS

|       |         |
|-------|---------|
| Lb    | 41.5 mm |
| ØDi-1 | 1/4 "   |

ØDi-2

1/4 "

F-1

9.5 mm

F-2

9.5 mm

Ct-1


42 mm

R

89 mm

ØDf

10 mm



**Last modified date: 10/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>