

# Tricoflex Hose PVC 19 mm x 25,5 mm 8bar yellow 100m type R (7033053)



**TRICOFLEX**

# TECHNICAL SPECIFICATIONS

Colour	yellow
--------	--------

Type	R
------	---

Material	PVC
----------	-----

Temperature range	-15°C - 60°C
-------------------	--------------

Bursting pressure	24 bar
-------------------	--------

Pressure	8 bar
----------	-------

Size	19 mm x 25,5 mm
------	-----------------

Length	100 m
--------	-------

Inner ø	19 mm
---------	-------

Outer ø	25,5 mm
---------	---------

Inner ø	3/4 "
---------	-------

Wall thickness	3,25 mm
----------------	---------

## PRODUCT INFORMATION

The multi-layer design ensures that Tricoflex® R is both highly flexible for easy handling and has an excellent resistance to repeated bending, crushing and tensile stress. A greatly resistant woven fibre and modified materials compared to Tricoflex® make Tricoflex® R a product particularly well suited to gantry sprinkler equipment in greenhouses, with increased resistance to tensile forces. In addition, the inner surface is extremely smooth, thereby maintaining an even

flow. Especially thick and made of high quality materials, Tricoflex® R offers remarkable aging resistance with exceptional preservation of flexibility. Application: Automatic sprinkler installations in greenhouses (mounted on motorized carts) Irrigation.

**Last modified date: 08/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>