

**Profec Ball valve PVC-U 1 1/4"**  
**female thread 10bar DN32**  
**grey type 2050 (0111289)**



# TECHNICAL SPECIFICATIONS

|                      |               |
|----------------------|---------------|
| Colour               | grey          |
| Type                 | 2050          |
| Material             | PVC-U         |
| Operation            | lever         |
| Colour lever         | red           |
| Handle material      | PVC-U         |
| Housing construction | 3-part        |
| Material housing     | PVC-U         |
| Material seal        | PE/EPDM       |
| Connection           | female thread |
| Temperature range    | 10°C - 60°C   |
| Pressure             | 10 bar        |
| Size                 | 1 1/4"        |
| DN                   | 32            |

## DIMENSIONS

|    |        |
|----|--------|
| Lb | 142 mm |
|----|--------|


ØDi-1 1 1/4 "

ØDi-2 1 1/4 "

Ct-1 85 mm

R 111 mm

ØDf 32 mm



**Last modified date: 13/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>