

# Profec Break tank 1" male thread 500ltr BELGAQUA/DVGW type Force Maxi (7036652)



# TECHNICAL SPECIFICATIONS

Approval	BELGAQUA/DVGW
Connection	male thread
Pump	UWO-Press
Capacity Pressure	1
Type	Force Maxi
Size	1"
Maximum flow	120 ltr/min

## PRODUCT INFORMATION

Break tank with a capacity of 500 litres/ 300 litres and a screw cap, this tank is easy to use and maintain. It also features a large inspection opening of 62 cm for easy access. The integrated pressure booster ensures optimal performance, with a maximum flow rate of 5.7 m<sup>3</sup>/h and maximum head of 48m. Drinking water supply is facilitated via a solenoid valve 1/2" (HE 1") according to DIN EN 1717. This flow tank has dimensions of LxWxH 80 x 55 x 130 for 500 litre and LxWxH 80 x 55 x 80 for 300 litre, and provides an adequate feed quantity at 1 bar line pressure.

**Last modified date: 09/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA

T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>