

# Seko Commercial pool control unit 3,5bar 230VAC type PoolFeeder tabs L (7039290)



**seko**

# TECHNICAL SPECIFICATIONS

Voltage	230VAC
---------	--------

Pressure	3,5 bar
----------	---------

Type	PoolFeeder tabs L
------	-------------------

Max. pool vol.	1700 m <sup>3</sup>
----------------	---------------------

Amount of tabs	20 kg
----------------	-------

## PRODUCT INFORMATION

The PoolFeeder is an all-in-one chlorine tablet dosing solutions for sanitising commercial swimming pools. It connects to the SekoWeb app and online portal for 24/7 remote monitoring and programming. It offers both manual and automatic control and is available in three models to cover every dosing need from small spa pools to multiple installations within water parks. Designed with safety in mind, PoolFeeder uses chlorine tablets which are dissolved at the point of dosing to avoid the pollution risks associated with storing liquid chlorine. Chlorine is dosed in intervals directly from an integrated tank, with the dissolved solution conveyed by a venturi nozzle to the pool water via a booster pump. PoolFeeder's unique dry tank function ensures the internal tank remains empty and dry once dosing is complete. Meanwhile, the system's integrated automatic washing system reduces maintenance requirement and manual cleaning frequency. This fully-integrated system doses chlorine with superior precision and consistency.

Features:

- Dosing bucket for chlorine tablets
- Chlorine dosing directly from an integrated tank
- Dry tank function
- Web Connection
- PoolFeeder L suits pools indoor up to 1,800m<sup>3</sup>, outdoor 1,700m<sup>3</sup>
- PoolFeeder M suits pools indoor up to 900m<sup>3</sup>, outdoor 850m<sup>3</sup>

**Last modified date: 24/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>