

# Seko Peristaltic dosing pump 6bar 230VAC type Kronos KRFM-2 (7039299)



**seko**

# TECHNICAL SPECIFICATIONS

|      |               |
|------|---------------|
| Type | Kronos KRFM-2 |
|------|---------------|

|         |        |
|---------|--------|
| Voltage | 230VAC |
|---------|--------|

|          |       |
|----------|-------|
| Pressure | 6 bar |
|----------|-------|

|            |          |
|------------|----------|
| Flow range | 15 ltr/h |
|------------|----------|

|                |                     |
|----------------|---------------------|
| Max. pool vol. | 1000 m <sup>3</sup> |
|----------------|---------------------|

## PRODUCT INFORMATION

The Kronos peristaltic pump is able to adapt to the simplest applications, simultaneously offering accuracy in chemical feeding. It is able to operate in harsh and complex environments such as industrial plants.

Features:

- Stepper motor technology
- Proportional dosing via external signal
- Up to 15 l/h and 6 bar
- Minimum dosing note 2ml/h
- Ideal for PAC dosing and smaller applications
- < 35db

**Last modified date: 18/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds

Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>