

# NaanDan Part circle sprinkler brass 1/2" male thread 4,0 mm type 423 WP AG (0630055)



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Type 423 WP AG

Material brass

Connection male thread

Max diameter 28 m

Nozzle size 4,0 mm

Rec. press. 2 - 4 bar

Capacity 2bar 0,85 m<sup>3</sup>/h

Capacity 3bar 1,03 m<sup>3</sup>/h

Capacity 4bar 1,18 m<sup>3</sup>/h

Size 1/2"

Radius 2bar 12,5 m

Radius 3bar 13,5 m

Radius 4bar 14 m

| Type 423 WP AG |      |      |       |      |      |       |      |      |
|----------------|------|------|-------|------|------|-------|------|------|
| 3,2mm          |      |      | 3,5mm |      |      | 4,0mm |      |      |
| Bar            | Q    | R    | Bar   | Q    | R    | Bar   | Q    | R    |
| 1,5            | 0,59 | 11,0 | 1,5   | 0,59 | 11,5 | 1,5   | 0,71 | 11,5 |
| 2,0            | 0,57 | 11,5 | 2,0   | 0,66 | 12,0 | 2,0   | 0,85 | 12,5 |
| 3,0            | 0,70 | 12,5 | 3,0   | 0,81 | 13,0 | 3,0   | 1,03 | 13,5 |
| 4,0            | 0,81 | 13,0 | 4,0   | 0,91 | 13,5 | 4,0   | 1,18 | 14,0 |



**bosta**  
bringing water to life

# PRODUCT INFORMATION

Agricultural (AG) version has an additional sand and dust protection sleeve as well as an improved white washer that is more resistant to dirt.

**Last modified date: 14/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>