

# Profec Gate valve brass 4" female thread 16bar DN86,5 type 201 (0400108)



# TECHNICAL SPECIFICATIONS

|                  |                  |
|------------------|------------------|
| Type             | 201              |
| Material         | brass            |
| Operation        | handwheel        |
| Colour lever     | red              |
| Handle material  | casted aluminium |
| Material valve   | brass            |
| Material housing | brass            |
| Material seal    | PTFE             |
| Connection       | female thread    |
| Min. temp.       | -20 °C           |
| Pressure         | 16 bar           |
| Max. temp.       | 110 °C           |
| Size             | 4"               |
| DN               | 86,5             |

## DIMENSIONS

|      |          |
|------|----------|
| Ct-1 | 226.5 mm |
|------|----------|

F-1 21.5 mm


F-2 21.5 mm

Lb 97 mm

R 126 mm

ØDi-1 4 "

ØDi-2 4 "



# PRODUCT INFORMATION

With cast handwheel.

**Last modified date: 21/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>