

# NaanDan Full circle sprinkler plastic 1/2" male thread brown type Super 10 FR (7020997)



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Type Super 10 FR

Material plastic

Connection male thread

Angle 25 °

Rec. press. 3 -5 bar

Colour brown

Capacity 3bar 0,32 m<sup>3</sup>/h

Capacity 4bar 0,32 m<sup>3</sup>/h

Capacity 5bar 0,32 m<sup>3</sup>/h

Size 1/2"

Max diameter 19 m

Radius 3bar 9,5 m

Radius 4bar 9,5 m

Radius 5bar 9,5 m

| Type Super 10 Flow Regulated |      |    |           |      |    |           |      |    |           |      |    |           |      |      |
|------------------------------|------|----|-----------|------|----|-----------|------|----|-----------|------|----|-----------|------|------|
| brown                        |      |    | blue      |      |    | yellow    |      |    | green     |      |    | red       |      |      |
| Bar                          | Q    | Ø  | Bar       | Q    | Ø  | Bar       | Q    | Ø  | Bar       | Q    | Ø  | Bar       | Q    | Ø    |
| 3,0 - 5,0                    | 0,32 | 17 | 3,0 - 5,0 | 0,36 | 18 | 3,0 - 5,0 | 0,45 | 20 | 3,0 - 5,0 | 0,55 | 20 | 3,0 - 5,0 | 0,67 | 20,5 |



**bosta**  
bringing water to life

# PRODUCT INFORMATION

Ball driven sprinkler with 2 orifice nozzle design that increases uniformity and wind resistance.

Flow regulated version will deliver the same flow at pressures from 3.0 - 5.0 bar.

Brown nozzle for road protector only.

**Last modified date: 18/12/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>