

**Profec Solenoid valve  
fibreglass reinforced nylon 1"  
female thread 10bar 9VDC  
black type 2-way NC (7030847)**



# TECHNICAL SPECIFICATIONS

|        |       |
|--------|-------|
| Colour | black |
|--------|-------|

|      |          |
|------|----------|
| Type | 2-way NC |
|------|----------|

|          |                             |
|----------|-----------------------------|
| Material | fibreglass reinforced nylon |
|----------|-----------------------------|

|                |                  |
|----------------|------------------|
| Material valve | reinforced nylon |
|----------------|------------------|

|                 |     |
|-----------------|-----|
| Indirect effect | yes |
|-----------------|-----|

|                  |                  |
|------------------|------------------|
| Material housing | reinforced nylon |
|------------------|------------------|

|               |     |
|---------------|-----|
| Material seal | NBR |
|---------------|-----|

|            |               |
|------------|---------------|
| Connection | female thread |
|------------|---------------|

|                    |    |
|--------------------|----|
| Right-angled model | no |
|--------------------|----|

Minimum medium temperature 5 °C  
(continuous)

Maximum ambient temperature 50 °C

|                        |         |
|------------------------|---------|
| Minimum inlet pressure | 0.3 bar |
|------------------------|---------|

|          |        |
|----------|--------|
| Pressure | 10 bar |
|----------|--------|

|            |       |
|------------|-------|
| Max. temp. | 50 °C |
|------------|-------|

|          |           |
|----------|-----------|
| Capacity | 208 l/min |
|----------|-----------|

|      |    |
|------|----|
| Size | 1" |
|------|----|

Voltage

9VDC

# PRODUCT INFORMATION

Standard with flow control and manual operation.

**Last modified date: 23/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>