

**Rain Bird Spray head plastic
5/8" UNC female thread 2,1bar
grey type 15SST (7020192)**



RAIN BIRD

TECHNICAL SPECIFICATIONS

Colour	grey
Material	plastic
Suitable for	1800 & UNI-Spray series
Connection	UNC female thread
Angle	30 °
Pressure	2,1 bar
Rec. press.	1 - 2,1 bar
Type	15SST
Capacity	0,20 - 0,27 m ³ /h
Capacity	3,4 - 4,6 l/min
Capacity 2 bar	250 l/h
Capacity 1bar	200 l/h
Capacity 1,5bar	230 l/h
Size	5/8"
Radius 2bar	1,2x8,5 m

PRODUCT INFORMATION

The Rain Bird Spray head, type MPR is used with the 1800 series pop up and is ideal for unique square areas that need strip irrigation.

The Strip Series has a 30° trajectory which is higher than the regular MPR nozzles.

The Strip Series are conformed by the following nozzles: the 15EST, 15CST, 15RCS, 15LCS, 15SST and 9SST.

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>