

Profec Ball valve brass nickel plated 1/2" female thread 25bar type 100 VA (0403032)



TECHNICAL SPECIFICATIONS

Type	100 VA
------	--------

Material	brass
----------	-------

Surface treatment	nickel plated
-------------------	---------------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	stainless steel
-----------------	-----------------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Temperature range	0°C - 100°C
-------------------	-------------

Pressure	25 bar
----------	--------

Size	1/2"
------	------

DIMENSIONS

Ct-1	45 mm
------	-------

F-1	11.5 mm
-----	---------

F-2	11.5 mm
-----	---------


Lb	48 mm
----	-------

R	98.5 mm
---	---------

ØDf	14.5 mm
-----	---------

ØDi-1	1/2 "
-------	-------

ØDi-2	1/2 "
-------	-------



Last modified date: 20/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>