


**Itap Ball valve brass nickel
plated 1/2" female thread 5bar
DN15 DVGW type 068
(0401152)**



TECHNICAL SPECIFICATIONS

Type	068
------	-----

Material	brass
----------	-------

Surface treatment	nickel plated
-------------------	---------------

Approval	DVGW
----------	------

Operation	butterfly handle
-----------	------------------

Colour lever	yellow
--------------	--------

Handle material	aluminium
-----------------	-----------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread
------------	---------------

Max. temperature	60 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Flow	full
------	------

Pressure	5 bar
----------	-------

Size	1/2"
------	------

DN	15
----	----

DIMENSIONS

Ct-1	43.8 mm
------	---------

F-1	15 mm
-----	-------

F-2	15 mm
-----	-------


Lb	61 mm
----	-------

R	27 mm
---	-------

ØDf	15 mm
-----	-------

ØDi-1	1/2 "
-------	-------

ØDi-2	1/2 "
-------	-------



Last modified date: 21/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>