

**Foras Centrifugal pump cast
iron 1 1/4" x 1" female thread
11bar 5,2A 230/400VAC blue
type KB 310 T (0920276)**



TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 noryl

Connection female thread

Max. temperature 90 °C

Minimum medium temperature 0 °C
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type KB 310 T

Output Power 3 HP

Size 1 1/4" x 1"

Seal type D

Length 385 mm

Voltage 230/400VAC

Width 210 mm

Weight 24.5 kg

| | |
|----------------------------|---------------------|
| Power | 2.2 kW |
| MWC | 64 |
| Max flow rate | 9 m ³ /h |
| Press | 1 " |
| Suction | 1 1/4 " |
| BEP Capacity | 7.2 |
| BEP Head | 45.4 |
| Efficiency | 41 % |
| Packaging dimensions L/W/H | 405 x 225 x 295 mm |



DIMENSIONS

| | |
|------|--------|
| Cb-1 | 110 mm |
| Cl-1 | 82 mm |
| G-1 | 170 mm |
| H | 265 mm |
| H-1 | 265 mm |
| L | 385 mm |
| Mr | 115 mm |
| O | 14 mm |

W-1 210 mm

ØDi-1 1 1/4 "

ØDi-2 1 "



PRODUCT INFORMATION

Sealed motor protection class F.
Water temperature 90°C.
Supplied without cable.

Last modified date: 22/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>