


**Itap Ball valve brass nickel
plated 1 1/4" female thread x
male thread 5bar DN32 DVGW
type 067 (0401165)**



TECHNICAL SPECIFICATIONS

Type	067
------	-----

Material	brass
----------	-------

Surface treatment	nickel plated
-------------------	---------------

Approval	DVGW
----------	------

Operation	lever
-----------	-------

Colour lever	yellow
--------------	--------

Handle material	steel
-----------------	-------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread x male thread
------------	-----------------------------

Max. temperature	60 °C
------------------	-------

Minimum medium temperature -10 °C
(continuous)

Flow	full
------	------

Pressure	5 bar
----------	-------

Size	1 1/4"
------	--------

DN	32
----	----

DIMENSIONS

Ct-1	75 mm
------	-------

F-1	21.4 mm
-----	---------

F-2	21.5 mm
-----	---------


Lb	105 mm
----	--------

R	138 mm
---	--------

ØDf	32 mm
-----	-------

ØDi-1	1 1/4 "
-------	---------

ØDo-2	1 1/4 "
-------	---------



Last modified date: 21/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>