

# Profec Gate valve brass 1/2" female thread 16bar DN15 type 201 (0400100)



# TECHNICAL SPECIFICATIONS

|                  |                  |
|------------------|------------------|
| Type             | 201              |
| Material         | brass            |
| Operation        | handwheel        |
| Colour lever     | red              |
| Handle material  | casted aluminium |
| Material valve   | brass            |
| Material housing | brass            |
| Material seal    | PTFE             |
| Connection       | female thread    |
| Min. temp.       | -20 °C           |
| Pressure         | 16 bar           |
| Max. temp.       | 110 °C           |
| Size             | 1/2"             |
| Length           | 44 mm            |
| DN               | 15               |

## DIMENSIONS

|    |       |
|----|-------|
| Lb | 44 mm |
|----|-------|

|       |       |
|-------|-------|
| ØDi-1 | 1/2 " |
|-------|-------|


|       |       |
|-------|-------|
| ØDi-2 | 1/2 " |
|-------|-------|

|     |         |
|-----|---------|
| F-1 | 11.5 mm |
|-----|---------|

|     |         |
|-----|---------|
| F-2 | 11.5 mm |
|-----|---------|

|      |         |
|------|---------|
| Ct-1 | 70.3 mm |
|------|---------|

|   |       |
|---|-------|
| R | 54 mm |
|---|-------|



# PRODUCT INFORMATION

With cast handwheel.

**Last modified date: 06/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>