


**VIR Ball valve brass chrome
plated 1/4" female thread x
male thread 40bar WRAS/VA
type K343F (0401330)**



TECHNICAL SPECIFICATIONS

Type	K343F
------	-------

Material	brass
----------	-------

Surface treatment	chrome plated
-------------------	---------------

Approval	WRAS/VA
----------	---------

Operation	butterfly handle
-----------	------------------

Colour lever	red
--------------	-----

Handle material	aluminium
-----------------	-----------

Housing construction	2-part
----------------------	--------

Ball material	hard chrome plated brass
---------------	--------------------------

Material housing	brass
------------------	-------

Material seal	PTFE
---------------	------

Connection	female thread x male thread
------------	-----------------------------

Max. temperature	150 °C
------------------	--------

Minimum medium temperature 0 °C
(continuous)

Flow	full
------	------

Temperature range	0°C - 150°C
-------------------	-------------

Pressure	40 bar
----------	--------

Size	1/4"
------	------

DIMENSIONS

Handle height	32
---------------	----

Lb	47 mm
----	-------

ØDi-1	1/4 "
-------	-------

ØDo-2	1/4 "
-------	-------


F-1	10 mm
-----	-------

F-2	9 mm
-----	------

Ct-1	32 mm
------	-------

R	22 mm
---	-------

ØDf	10 mm
-----	-------



Last modified date: 10/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>