

Waterco Commercial sand filter fibreglass 6"/160mm flange 4bar type SMDD1800 (7029513)



WATERCO
EUROPE LTD
Water, the liquid of life

TECHNICAL SPECIFICATIONS

Material	fibreglass
----------	------------

Connection	flange
------------	--------

Pressure	4 bar
----------	-------

Max. temp.	40 °C
------------	-------

Type	SMDD1800
------	----------

Capacity	76 m ³ /h
----------	----------------------

Size	6"/160mm
------	----------

Sand	4975 kg
------	---------

Filter area	2.54 m ²
-------------	---------------------


Max flow rate	102 m ³ /h
---------------	-----------------------

Max. pool vol.	380 m ³
----------------	--------------------

DIMENSIONS

B	1839 mm
---	---------

C	2260 mm
---	---------



PRODUCT INFORMATION

Waterco commercial sand filter SMDD is an upgraded version of SMD series. Besides micron fibreglass winding technology and "Fish Tail" lateral configuration, Easy Reach Air Release System and service hatch have been implemented as well. SMDD model is available in 4 bar, 6 bar, 8 bar and 10 bar pressure ratings.

Features:

- 1,2 m bed depth
- Ultra smooth bobbin finish
- Large double yoke lid with lifting eye
- Large clear sight glass
- Large stable base
- Service hatch
- Easy reach airbleed
- Flanged connections
- Fish Tail lateral
- Optional nozzle plate
- 10 years tank warranty

Last modified date: 23/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>