PSH Commercial pool pump cast iron DN80 x 3" flange x female thread 7,6A 230/400VAC black type FDN3000-15 (7029851)



₹ PSH



TECHNICAL SPECIFICATIONS


Shaft stainless steel 316L Pump body cast iron Material impeller 1 bronze/aluminium Material cover cast iron Material seal carbon/ceramic Connection flange x female thread Voltage 230/400VAC Width 210 mm Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP Size DN80 x 3"	Colour	black
Material impeller 1bronze/aluminiumMaterial covercast ironMaterial sealcarbon/ceramicConnectionflange x female threadVoltage230/400VACWidth210 mmHeight319 mmFrequency50 HzIP valueIP55Motor RPM2900TypeFDN3000-15Capacity51 m³/hOutput Power3 HP	Shaft	stainless steel 316L
Material cover cast iron Material seal carbon/ceramic Connection flange x female thread Voltage 230/400VAC Width 210 mm Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Pump body	cast iron
Material sealcarbon/ceramicConnectionflange x female threadVoltage230/400VACWidth210 mmHeight319 mmFrequency50 HzIP valueIP55Motor RPM2900TypeFDN3000-15Capacity51 m³/hOutput Power3 HP	Material impeller 1	bronze/aluminium
Connection flange x female thread Voltage 230/400VAC Width 210 mm Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Material cover	cast iron
Voltage 230/400VAC Width 210 mm Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Material seal	carbon/ceramic
Width 210 mm Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Connection	flange x female thread
Height 319 mm Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Voltage	230/400VAC
Frequency 50 Hz IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Width	210 mm
IP value IP55 Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Height	319 mm
Motor RPM 2900 Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	Frequency	50 Hz
Type FDN3000-15 Capacity 51 m³/h Output Power 3 HP	IP value	IP55
Capacity 51 m³/h Output Power 3 HP	Motor RPM	2900
Output Power 3 HP	Туре	FDN3000-15
	Capacity	51 m ³ /h
Size DN80 x 3"	Output Power	3 HP
	Size	DN80 x 3"





Length	791 mm
Weight	55 kg
Power	2.2 kW
Ampere	7,6 A

DIMENSIONS

А	82 mm
В	172 mm









PRODUCT INFORMATION

FDN-3000 is a pool pump designed to offer the highest performance in filtration and purification of water for commercial pools. All parts in contact with water are treated using a long lasting cataphoresis process. This treatment prevents the formation of troublesome oxides on cast iron pumps significantly prolonging the life of cast iron and is one of the best anti-corrosion and antioxidant treatments existing in todays market.

Features:

- High efficiency motor class IE3 according to regulation (EU)2019/1781
- Special long life treatment to prevent corrosion
- Standard motor which makes it compatible with any manufacturer's engine worldwide
- Robust and durable
- High quality mechanical seal and bearings
- Independent pre-filter allowing use of the pump without pre-filter or assembly to other types of pre-filters
- Pre-filter with large volume and stainless steel basket with easy access for cleaning

Last modified date: 08/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

