

**3-way ball valve T-bore PVC-U
50 mm glue socket 10bar DN40
grey type T-bore side
connection (0111523)**



TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	T-bore
------	--------

Material	PVC-U
----------	-------

Connection	glue socket
------------	-------------

Connection	glue socket
------------	-------------

Connection	glue socket
------------	-------------

Operation	lever
-----------	-------

Colour lever	red
--------------	-----

Handle material	PVC-U
-----------------	-------

Material housing	PVC-U
------------------	-------

Material seal	PTFE/EPDM
---------------	-----------

Ball bore	T-bore
-----------	--------

Connection type	side connection
-----------------	-----------------

Connection	glue socket
------------	-------------

Temperature range	0°C - 60°C
-------------------	------------

Pressure	10 bar
----------	--------

Shaft	PVC
-------	-----

Size	50 mm
------	-------

Size	50 mm
------	-------

Size 2	50 mm
--------	-------

Size	50 mm
------	-------

DN	40
----	----

DIMENSIONS

Lb	207 mm
----	--------

ØDi-1	50 mm
-------	-------

ØDi-2	50 mm
-------	-------

Ct-1	94 mm
------	-------

R	128 mm
---	--------

ØDf	40 mm
-----	-------

Generated by date: 21/09/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>