

VDL Ball valve PVC-U 32 mm glue socket 16bar DN25 grey type EIL viton (7018369)



V-L Van de Lande

TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	EIL viton
------	-----------

Material	PVC-U
----------	-------

Operation	lever
-----------	-------

Colour lever	green
--------------	-------

Handle material	PVC-U
-----------------	-------

Housing construction	2-part
----------------------	--------

Material housing	PVC-U
------------------	-------

Material seal	viton
---------------	-------

Connection	glue socket
------------	-------------

Max. temperature	60 °C
------------------	-------

Minimum medium temperature 0 °C
(continuous)

Temperature range	0°C - 60°C
-------------------	------------

Pressure	16 bar
----------	--------

Size	32 mm
------	-------

DN	25
----	----

DIMENSIONS

Lb 102 mm


ØDi-1 32 mm

ØDi-2 32 mm

Ct-1 65 mm

R 94 mm

ØDf 25 mm



Last modified date: 06/01/2026

Bosta UK Ltd.
Reflection House
Olding Road

Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>